

emFONE

OUTDOOR
H E L P
P H O N E



PIXEL.
TECHNOLOGIES

emFONE

OUTDOOR HELP PHONE



em-1/IP-65

em-2/IP-65



OUTDOOR LIFTS



BUILDING ENTRANCES



SCHOOL HELP POINTS



ENTRY / EXIT GATES




The emFONE range of IP-65 rated outdoor surface mounted fixtures complete with all essential functions to make a hands free emergency call are ideal for schools, car-park & gate entry points, public spaces, building outdoor entry points and rail platforms. Manufactured to be both versatile and aesthetically pleasing while remaining durable and vandal resistant, with its marine grade stainless steel panel and powder coated steel surface mount enclosure. Options include our em-1 phone with built in battery backup or the em-2 phone with no separate power supply required running directly from the telephone line. The phones can be paired with our extensive range of Wireless gateways.

SPECIFICATIONS

- Operating Temperature - 0°C - 75°C
- IP-65 outdoor enclosure
- Dialling Method - Tone (DTMF)
16-Digit Dialling Capability
- Speaker Volume - Programmable
80dB @ 1 meter 425Hz
- Trigger Button - Dry Contacts - optically isolated with Built in IP-65 Rated button

FEATURES

- Powered or Telephone line options
- Auto-Dialling, Hands Free Loudspeaker
- 3 telephone number dialling capability
- 16 Second Voice Identification Message to alert calling location
- Local or Remote Programmable via Telephone Handset
- Programmable Volume, relays & Talk Time
- Vandal resistant 316 grade stainless steel panel with IP rated powder coated enclosure
- Vandal resistant IP rated metal button
- Two Relay Output Contacts
- Battery Back-Up (EM-1 Model)
- Dimensions (mm)
em-1&2 /IP-65 - 150w x 210 h x 85 d



*Other IP-rated enclosures available upon request.



+61 3 8843 0700



www.pixeltechnologies.com.au
info@pixeltechnologies.com.au



Melbourne | Sydney
Brisbane | Singapore

© 2019 Pixel Technologies Pty Ltd
Supplier No. E5405

Proudly Designed & Manufactured in Australia for the World

Pixel Technologies assumes no responsibility for any errors that may appear in this publication.
All images are for illustration purposes only. Specifications are subject to change without prior notice.
All information stated in the brochure is correct at time of printing and subject to change without notice.